

RURAL ELECTRIFICATION FUND



BIDDING DOCUMENT FOR THE SUPPLY AND DELIVERY OF GALVANISED EARTH WIRE

DOMESTIC COMPETITIVE TENDER

TENDER NUMBER:	REF/DOM/18/05/2022
CLOSING DATE:	28 JUNE 2022
CLOSING TIME:	1000HOURS
DATE OF ADVERT	27 MAY 2022
NON-REFUNDABLE TENDER FEE:	FREE

SUBMISSION OF BIDS/TENDERS

All bids/tenders must be deposited in the Tender Box located at:

Rural Electrification Fund
Room 713 7th Floor, Megawatt House
44 Samora Machel Avenue
HARARE
ZIMBABWE

RURAL ELECTRIFICATION FUND



DECLARATION BY THE ACCOUNTING OFFICER IN TERMS OF SECTION 19(2)(C) OF THE PUBLIC PROCUREMENT AND DISPOSAL OF PUBLIC ASSETS REGULATIONS, 2018.

TENDER NUMBER: REF/DOM/18/05/2022

TENDER DESCRIPTION-SUPPLY AND DELIVERY OF GALVANISED EARTHWIRE

DECLARATION

The procurement for the tendered goods/items is based on neutral and fair technical requirements and bidder qualifications.

Signed

.....
J.V MASHAMBA
CHIEF EXECUTIVE OFFICER

CONTENTS

PAGE

1.0	Scope of Supplies	3
2.0	Terms and Conditions of the Tender	3
3.0	Evaluation Criteria	10
4.0	Financial Information	12
5.0	Tender Award	12
6.0	Contacting the Purchaser	12
7.0	Confidentiality	13
8.0	Corrupt or fraudulent practices	13
9.0	Submission of Bids	13
11.0	Technical Requirements	14

Annexure 1: Declaration of Corrupt or Fraudulent Practices Form

Annexure 2: Letter of Tender Form Sample

1.0 SCOPE OF SUPPLIES

This document is a Bidding Document (BD) for the Supply and Delivery of the following items:

LOT NO	DESCRIPTION	UOM	QTY
1	WIRE GALV STAY 45 TON 7/14 STRAIN	metre	32,000
2	"WIRE GALV STAY 45 TON 7/12"" STRAIN"	metre	10,000

2.0. TERMS AND CONDITIONS TO BE OBSERVED IN TENDERING

2.1 Terms and conditions

The tender and any contract shall be governed by the Public Procurement and Disposal of Public Assets Act (Cap 22:23) and the Public Procurement and Disposal of Public Assets Regulations,2018(PPDPA). Orders will be placed by and/or contracts entered into by and between the Rural Electrification Fund(REF) and the successful bidder after approval of the tender in whole or in part by Rural Electrification Fund (REF). REF shall not accept any liability for any order/contract(s) which does not bear the authentic signature of anyone of the authorized signatories at the time of placement of the order/contract. The authorized signatories are the Executive Director Finance, and the Chief Executive.

The Tenderer must acquaint himself/herself with the “**Terms and conditions to be observed in tendering**”. The Purchaser shall not be responsible for any misunderstanding of incorrect information however obtained except information given in writing by the Purchaser.

2.2 Cost of Tender

Bidders shall bear all costs associated with the preparation and submission of their bids.

REF will be not responsible or liable for any such costs incurred by the bidders, regardless of the outcome of the Tender Process.

2.3 Tender Documents

Suppliers are expected to examine carefully the whole tender document. Failure to furnish all the information required in the bid document or submission of Tender not substantially responsive to the said document in every respect will be at the Supplier's risk and will result in the rejection of the bid.

2.4 Tender Queries and Clarifications

All queries regarding the tender shall be forwarded by the bidder in writing on duly signed company letterhead and emailed on the following email address: kchinembiri@rea.co.zw and buyer1@rea.co.zw , not less than five(5) days working days from the closing date of the tender. Clarifications/Responses pertaining to the queries received shall be uploaded on REF website address www.rea.co.zw on the notice board page. It shall be the responsibility of bidders to continuously check the website for such clarifications/quiry responses.

If a prospective tenderer sends a query less than the stated days above, the query may not be responded. Any neglect, delay or failure on the part of the Tenderer to obtain additional information on the above or any other matters, which the tenderer considers necessary, shall not relieve him/her from responsibility as a Tenderer. Only bidders facing challenges in receiving responses to their quires may call the Procurement Administrator on 0719 409 691.

2.5 Tender Responses

Suppliers wishing to respond to the tender must submit three (3) copies of their responses, deposit a sealed envelope in the Tender Box situated at:

Rural Electrification Fund
Room 713 7th Floor, Megawatt House
44 Samora Machel Avenue
Harare
Zimbabwe

By not later than 10.00am on the advertised closing date. Prospective suppliers may attend the opening of tender at Megawatt House, 7th Floor on the above closing date and time.

2.6 Amendment of Tender Documents

At any time prior to the deadline for the submission of the tenders, Rural Electrification Fund may for any reason whether at its own initiative or response to a clarification requested by a prospective supplier modify the tender document by amendment(s). Such amendment(s) will be uploaded on REF website as stated on clause 2.4 of the bidding document.

In order to afford the supplier reasonable time in which to take the amendment(s) into account in preparing their tenders, Rural Electrification Fund may, extend the deadline for submission of tenders.

2.7 Language

The tenders and all relevant correspondence and documents exchanged between the Seller and Purchaser shall be written in English language.

2.8 Tender Validity Period

Tender validity period is the **period** in course of which the supplier is bound by the **tender**, in relation to its content and conditions offered (price, execution time, guarantee, etc). Tender prices shall remain valid and fixed for a minimum of sixty (60) days period after the deadline from the date of submission of the tender. Bidders must state clearly in writing the price validity of their bid document.

2.9 Payment Terms and Conditions

Rural Electrification Fund shall pay the winning bidder in local currency only within 21 days after delivery, inspection and acceptance of the delivered goods. Any other payment terms and conditions resulting in Rural Electrification Fund paying a deposit or advancing payment such bidders must state ability to secure a bank guarantee from a registered commercial bank acceptable to REF equal to the amount to be advanced. The bank guarantee must be provided within two weeks of contract signing.

Bidders are therefore requested to clearly state payment terms and conditions in the bid document.

2.10 Errors of Extension or addition

The Rural Electrification Fund reserves the right to adjust arithmetical in the bid total price. Any adjustments made by the Rural Electrification Fund to a bid total price will be stated to the bidder prior to the acceptance of the bid, and will be made on the basis that the unit price is taken as correct and all extensions and additions will be adjusted accordingly. In such cases the effect will be that the total amount of the bid will be altered so that this amount agrees with the amount arrived at after the errors of extension or additions have been corrected

2.11 Penalties/Liquidated damages

The purchaser shall without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damages, sum equivalent to 0.5% of contract price of the delayed goods for each week of delay until actual delivery, up to a maximum of 10% of the tender sum.

2.12 Delivery Period

The successful bidder is expected to deliver the goods within the delivery period stated in the bid document from the date of the Purchase Order. The delivery period must be stated in weeks. In the event that goods will be delivered in different consignments, delivery schedule must be provided together with the bid. The delivery address is as follows: Rural Electrification Fund Central Stores No.22A James Martin Road, Lochinvar Harare Zimbabwe.

REF reserves the right to reject the right to reject any deliveries or items that do not meet the specifications provided in this tender.

2.13 Company Profile

The company profile to include financial details such as Banking Institution Name; Bank Key: Branch; Town/City; Bank Account Number; Type of Account; Account Holder Name; and Sort/Swift Code. VAT registered companies to provide vat number. Provide full name of a person who is authorized to sign for and behalf of the company, cell phone number, email and physical address.

2.14 Bid Preparation

The bid shall be typewritten. Handwritten bids will not be accepted and will be rejected. Bids must be properly spirally bound. A clearly labeled table of contents with correct page numbers or index must be provided on the second page of the bid document. Company name, tender number, tender description, closing date must be displayed on the cover page of the bid document.

2.15 Bid Bond Security

Bidders must submit a refundable Bid Security of ZW\$300,000.00, valid for 60 Days, together with their bid in line with Statutory Instrument(S.I)05 of 2018. The Bid Security shall be payable using the below Options:

Option 1.....A certified Bank Cheque

Option 2.....A Bank Guarantee

Option 3.....A Cash Deposit to the PRAZ

If Option 3 is chosen bidders must also submit proof of payment to Procurement Regulatory Authority of Zimbabwe (PRAZ) of non-refundable cash bid bond establishment fee equivalent to ZW\$28,000.00(Local bidders) and USD350.00 (Foreign Bidders) in line with Part V of the Statutory Instrument(S.I) 299 of 2021.Failure to comply with the above will lead to automatic disqualification.

2.16 Contract Administration Fee Payable by the Contractors

Bidders are advised that the winning bidder may be required to pay contract administration fees to PRAZ in line with Statutory Instrument (S.I) 299 of 2021 PART VI. Bidders must ensure they study the fees structure on the S.I for their information.

2.17 Companies owned by same person

No bidder may submit more than one bid, either individually or as a joint venture partner in another bid, except as a subcontractor and a conflict of interest will be deemed to arise if bids are received from more than one bidder owned, directly or indirectly, by the same person.

3 EVALUATION CRITERIA

The evaluation criteria of the tender shall include the below listed requirements. Bidders who fail to comply with any of the clauses below shall be disqualified from the tender(subject to provisions of the PPDPA) as their bid will not be compliant.

3.1 Compliance to technical specifications-Bidders must comply with the technical specifications requirements/instructions provided.

3.2 Bidders must attach the following company documents without fail:

- A Certificate of Incorporation - in terms of the Companies Act (Chapter 24.03).
- or equivalent registration document in country of residence.
- CR14- indicating names and addresses of the directors and their shareholding Structure.
- CR 6 Form -principal place of business
- Proof of registration with Zimbabwe Revenue Authority (ZIMRA) - in the form of a valid current tax clearance certificate ITF 263 and VAT registered companies in addition to submit VAT Certificate.

3.3 Pricing format-Bidders shall use the following pricing format without fail. Failure to use the correct pricing format may lead to rejection of the bid

LOT No	ITEM DESCRIPTION	QTY	Price per meter USD\$ VAT Exclusive	VAT ZW\$	Total price USD VAT Incl
1	XXXXXXXXXXXXXXXXXXXXXXXXXX	XXX			
2	XXXXXXXXXXXXXXXXXXXXXXXXXX	XXX			
3	XXXXXXXXXXXXXXXXXXXXXXXXXX	XXX			

IMPORTANT PRICING NOTES

- Dual pricing in terms of Statutory Instrument (S.I) 185 of 2020-Bidders must quote their bid prices both in USD and the RTGS currency using the prevailing exchange rate.
- Payment for the winning bidder shall be strictly in local currency at the prevailing exchange rate using the RBZ exchange rate(mid-rate). See <http://www.rbz.co.zw/>.
- The prevailing RBZ exchange rate(mid-rate) on the date of tender closing shall be used as the base rate where necessary.
- The bid price should clearly and separately show the unit price and the total price.
- The USD prices shall be used for purposes of tender evaluation and tender award.
- Bidders MUST state clearly whether they charge VAT or not.

3.4 Bidders must state whether the goods shall be imported or are locally

- manufactured without fail.
- 3.5 Bidders must state the required payment terms. REF favors payment after delivery, however where bidders require pre-delivery payment they must state ability to secure a bank guarantee from a registered commercial bank acceptable to REF equal to the amount to be advanced. The bank guarantee must be provided within two weeks of contract signing.
 - 3.6 REF shall pay the winning bidder through local banks transfer. Bidders must provide their local bank account details without fail.
 - 3.7 Delivery term shall be DDP (2000)-that means the bid price must be inclusive of import duties and taxes and transit insurance(risk) until delivery at the stated point of delivery-Importing bidders MUST state that the delivery term shall be DDP(2000).
 - 3.8 Bidders must be registered with the Procurement Regulatory Authority of Zimbabwe(PRAZ)- Bidders must attach proof of registration with PRAZ on the list for supply of electricals/hardware.
 - 3.9 Letter of agency-Importers must attach a letter of agency from the Manufacturer without fail.
 - 3.10 Valid ISO/SAZ certificate of the manufacturer of the quoted lot must be attached with the bid documents -Bidders must attach proof without fail.
 - 3.11 Bidders who do not hold the items ex-stock must clearly state in their bids that they have checked that the goods tendered “fall” or “do not fall” under the Consignment Based Conformity Assessment (CBCA) programme as required by the Government of Zimbabwe. If the goods tendered “fall” under the CBCA programme, bidders must further state that all costs associated with this requirement will be to the supplier’s account. Bidders who hold the items ex stock do not need to comply with this criteria
 - 3.12 Delivery period. REF requires the winning bidder (**bidders without ex-stock**) to supply the full order within a period of six (6) weeks from the date of contract signing/order. However where the tender is awarded to bidders who hold the items ex-stock,such winning bidders must deliver within five(5) days from the date of purchase order issuance/contract signing. Bidders must state their capacity to deliver within a period of four(4) weeks or five(5) days whichever is applicable.
 - 3.13 Reference letters-Bidders must attach at least two reference letters from companies where the bidder has supplied line construction materials in the past three years.
 - 3.14 Bidders must state a warranty period of 12 months for the supplied items.
 - 3.15 Bidders are allowed to bid for part quantity or the full quantity.
 - 3.16 Bid bond compliance-Bidders must attach proof of bid bond compliance as per clause 2.15 of the Bidding Document without fail.
 - 3.17 Bid validity of a minimum of 60 days is required and must be clearly stated.
 - 3.18 Tenders must be submitted in three (3) copies and the ORIGINAL” copy must be clearly marked.
 - 3.19 The Bidders must submit the bid with a duly filled in and signed Declaration on

Non-Engagement in Corrupt or Fraudulent Practices Form Annexure 2.

3.20 The bidder must submit with the bid a duly filled in and signed attached Form of Tender Annexure 3.

4.0 FINANCIAL INFORMATION

All prices must be inclusive of delivery costs and any other duties and taxes payable by the supplier. The delivery address is Rural Electrification Fund (REF) Central Stores No.22A James Martin Road Lochinvar Harare, Zimbabwe. REF does not assist suppliers in the sourcing of foreign currency. All VAT registered supplier must show VAT separately in their bid.

5.0 TENDER AWARD CRITERIA

REF intends to award the tender to the lowest priced bidder to specification who hold the tendered items **ex-stock**. Where a winning bidder holds less-than the tender quantity ex-stock , REF may award the tender to more than one bidders who hold the items ex-stock until the tender quantity is fulfilled.

Bidders who hold the items ex-stock must state that they hold the goods ex stock without fail and the quantity held in stock.

REF reserves the right to visit bidders and inspect the items stated as EX-STOCK and findings by the visiting team shall be used for evaluation of this tender. **NB: BIDDERS WHO FALSELY CLAIM TO HOLD STOCK SHALL BE DISQUALIFIED FROM THE TENDER PROCESS.** Bidders are allowed to quote for the full or part tender quantity.

However REF may award the tender the tender to bidders who do not hold stock under the following conditions:

- Where non of the bidders hold the goods ex stock.
- Where the bidders who hold the goods in stock have quoted unreasonably high prices.
- When the bidders who hold stock are non-compliant to the tender requirements.

6.0 CONTACTING THE PURCHASER

Any effort by the bidder to influence REF in the tender evaluation, tender comparison, and contract award or order placement decisions will result in the rejection of the bidder's bid.

7.0 CONFIDENTIALITY

After the public opening of tenders, information relating to the examination, clarification, evaluation and comparison of tenders and recommendations concerning the award of the contract shall not be disclosed to bidders or other persons not officially concerned with such process until the award of contract is announced. **No bidder shall contact the Purchaser on any matter relating to this tender, from the time of the tender opening to the time the tender is awarded.** Any bidder in possession of confidential tender information will be obliged to reveal the source of information and/or face disqualification of his/her tender.

8.0 CORRUPT OR FRAUDULENT PRACTICES

Rural Electrification Fund requires that Tenderers observe the highest standard of ethics during the procurement process and execution of contracts. A tenderer shall sign and submit together with the bid the attached form (Annexure 2), that states that she/he has not or will not be involved in corrupt or fraudulent practices.

Rural Electrification Fund will reject a proposal for award if it determines that the tenderer has engaged in corrupt or fraudulent practices in competing for the contract. A Tenderer who is found to have indulged in corrupt or fraudulent practices will be automatically disqualified.

9.0 SUBMISSION OF BIDS

- 9.1 The tender must be enclosed in sealed envelopes, endorsed on the outside with the advertised tender number, the closing date and description of tender and must be sent by courier in time to be deposited or deposited in the Tender Box situated at, **Rural Electrification Fund, Room 713 7th Floor Megawatt House, 44 Samora Machel Avenue, Harare**, before 10.00 hours on the closing date notified.
- 9.2 Tenders which are properly addressed to the Procurement Administrator in envelopes with the advertised tender number, the closing date and tender description endorsed on the outside are not opened until 1000 hours on the closing date.
- 9.3 **Note:** Tenders which are not received by 1000 hours on the closing date whether by hand or by courier will be treated as late tenders and will be rejected.
- 9.4 Tele-fax and e-mail bids are not accepted i.e. electronic bidding is not accepted.

- 9.5 Any tender submitted that does not fully comply with the above terms and conditions will be rejected without further consideration as will tenders received after the published closing date.
- 9.6 Bidders are required to adhere to the instructions regarding preparation and submission of tenders as those who do not comply will be disqualified.
- 9.7 Tenderers are free to attend and witness the public tender opening at the above captioned address. The opening ceremony shall be done on the tender closing date soon after the closing time.

10.0 **RIGHT FOR ACCEPTANCE OR REJECTION OF ANY OR ALL BIDS**

The Fund reserves the right to accept the whole or part of the tender. The Fund reserves the right to accept or reject any bid and to annul tendering process and reject all bids at any time prior to award of contract/order, without incurring any liability to the affected Tenderer(s) or obligations to inform the affected Tenderer(s).

11) TECHNICAL SPECIFICATIONS

Bidders must study the instructions provided in the table below. The instructions pertain to each lot. Bidders must comply with the instructions per Lot without fail.

TABLE OF REQUIREMENTS

LOT NO	DESCRIPTION	INSTRUCTION TO BIDDERS PER LOT. BIDDERS MUST STRICTLY COMPLY WITH THE INSTRUCTIONS PROVIDED BELOW PER LOT. BIDS THAT ARE NON COMPLIANT TO THESE INSTRUCTIONS WILL BE REJECTED.
1	WIRE GALV STAY 45 TON 7/14 STRAIN	Technical Specifications attached. Bidders must complete the technical guarantee schedule available.
2	"WIRE GALV STAY 45 TON 7/12" STRAIN"	

REA SPECIFICATION No. 41012/1997
SPECIFICATION FOR GALVANIZED STEEL WIRE
(USED FOR STAY AS AND EARTHING)

1 INTRODUCTION

This Specification covers the details of the Galvanised Steel Wire Strand used for stays and as earth wire. Unless otherwise stated in the Schedule of requirements, the table below gives the typical standards of Galvanized stranded stay wire used by REA.

2 STANDARDS OF GALVANIZED STRANDED STEEL SATY WIRE USED BY REA

ITEM	DESCRIPTION OF GALVANISED STRANDED STAY WIRE
1	7/8 swgx45 ton, 7/4.00x700mpa
2	7/12 swgx45 ton, 7/2.65x700mpa
3	7/14 swgx45 ton, 7/2.00x700mpa

3 PARTICULARS OF ENVIRONMENT

Maximum wind pressure on project area of conductors and cylindrical objects	430 N/m ²
Maximum wind pressure on steel members	
On 1.5 times projected area	820 N/m ²
Rainfall conditions	800-1700 mm/year
Maximum	160mm in 24 hrs

The galvanized stranded steel wire shall be capable of withstanding the following environment conditions.

- a) Ambient temperature:
- (i) Minimum: 40°C
 - (ii) Minimum: minus 10°C
 - (iii) Maximum daily average: 35°C

- b) Humidity

Humidity of 13mg per cubic metre absolute and 65% relative before storms with vapour pressure of 17mmHg.

- c) The galvanized stranded steel wire will be subjected to tropical Conditions where sudden ambient air temperature changes of the order of 10°C per hour, occurring at the onset of rain are

experienced, but the barometric pressure at any given place does not vary by more than approximately 10mm Mercury. Frequent and severe lightning storms occur during summer months, with isoceraunic levels varying between 50 and 100 thunderstorm days per annum.

It is the manufacturer's responsibility to make himself familiar with any other climatic and physical conditions pertaining in Zimbabwe and to allow for all conditions in his designs.

4 PARTICULARS OF ELECTRICAL SYSTEM

The Galvanised Steel Wire Strands shall be suitable for use on the following electrical system:

- a) outdoor, 3-phase.
- b) operated at 50Hz variable between plus or minus 2.5%.

5. STANDARDS, UNITS AND LANGUAGE

All Galvanised Steel Wire Strands supplied under this specification shall conform to the following:

- a) The latest edition of BS 183:1972 and any amendments of its IEC equivalent.
- b) Any other standard provided the tenderer can provide documentary evidence that the standard is equal to or better than the above.

All tenders, correspondence, and all description upon drawings, illustrations or instruction shall be in the English Language.

SI units of measurements shall be used throughout. The galvanized steel wires shall be manufactured to high quality standards. The companies manufacturing the cables shall have ISO certification. Documentary proof of ISO Certification shall be provided with the bid. The requirements for ISO certification will be waived for local companies, but should have S.A.Z Certification.

6 CONSTRUCTION

6.1 Material of Wire

The wire shall be drawn from steel made by any process, except that the air, and mixed air-oxygen, bottom basic converter shall not be used.

6.2 Galvanising of Wire

Unless otherwise Specified, the galvanized coating shall comply with the requirements of BS 443.

6.3 Freedom from defects

The finished wire shall be free from any harmful defects or kinks

6.4 Joints during wire manufacture

For all other grades there shall be no welds in the wire other than those made in the base rod or wire before drawing. However for grades 350 and 480, welds shall be permitted at the option of the manufacture at any stage prior to galvanising.

6.5 Strand lay

Unless otherwise Specified in the Schedule of requirements, the outer wire of all strands shall have a right-hand lay. In 19 wire strand the outer twelve wires shall be normally laid up in reverse direction to that of the inner layer, but they may be laid-up in the same direction when Specified in the Schedule of requirements.

6.6 General Strand

The lay length of the general strand shall be 12 to 18 times the nominal overall diameter of the strand.

6.7 Joints during stranding

For all other grades, there shall be no welds in the wire other than those made in the base rod or before drawing. However for grades 350 and 480,

Welds shall be permitted at the option of the manufacture at any stage prior to galvanising.

For all grades of 19-wire strand, joints in the wire during stranding shall be permitted provided they are kept to a minimum and well spaced.

Joints made during stranding shall be protected against corrosion.

7 TESTS

The samples of individual coil or drum of strand for the tests shall normally be taken before stranding. The manufacturer shall carry out test on samples taken out at least from 10% of the individual coils. The coils used shall comply with the following tests.

- a) Diameter test, according to BS: 183 clause 8, of which the tolerance shall comply with the values given in Table 1 under clause 8.
- b) Tensile and elongation test, according to BS: 183 clause 9, of which the minimum elongation of the strand shall comply with the values given in table 2 under clause 9.

8 GALVANIZED STEEL WIRE STRAND DRUMS

The Galvanised Stranded Steel Wire shall be supplied and delivered on Drums. The flanges and barrels of the drums shall be made entirely of a suitable and seasoned wood which shall be treated. If hardwood use, it shall not form more than 40% of the total weight of wood making up the drum, neither shall it be used on the inside of the flanges and barrels so that it shall not be in contact with the Galvanised Steel Wire Strand. Spindle holes shall not be less than 60mm in diameter. The surrounding of the holes shall be suitably reinforced.

The flanges and barrel shall be free from protruding material capable of Damaging the Galvanised Steel Wire or the hands of operator during Rotation of the drum

9 PACKING

The surface of the barrel and the inside of the flanges shall be lined with waterproof paper. The loose end of the Galvanised Stranded Steel Wire Strand shall be firmly stapled to the inside of the flanges. The drum number shall be branded or gauged into the outside of one of the flanges. An arrow shall indicate the direction in which the drum shall

be rolled. A label showing size, type and length of Galvanised Steel Wire Strand shall be firmly secured to the outside of one of the flanges. The label shall be suitably weatherproofed

10 MARKING

The following information shall be marked on each Drum

- a) Manufactures' name
- b) Trade mark, if any
- c) Drum or identification number
- d) Size of Galvanised Stranded Steel Wire
- e) Number of Galvanised Stranded Steel Wire
- f) Gross mass of the package
- g) Net mass of Galvanised Stranded Steel Wire
- h) Tender Number and REA order Number

11 TECHNICAL GUARANTEE SCHEDULE

11.1 PREAMBLE

- a) The Technical schedule shall be filled in and completed by the Bidder, and submitted with the Bid.
- b) All documentation necessary to evaluate whether the equipment offered is in accordance with this specification shall be submitted with the Bid.
- c) All data entered in the schedules of Technical Guarantees are guaranteed values by the Bidder and cannot be departed from whatsoever.
- d) All data entered in the schedules of informative Data are also guaranteed values by the Bidder. These data may only be altered following the Engineer's written consent.

TABLE A

TECHNICAL GUARANTEES (to be filled in by Bidder for each type)		
Description	Unit	Guarantee
Reference standards	-	
Type designation	-	
Grade of galvanized steel wire		
Size of Galvanised Steel Wire	sq.mm	
Number and length of Galvanised Stranded Steel Wire		
Size of each strand	sq.mm	
Overall diameter	Mm	
Gross Mass of package	kg/km	
Net Mass of Galvanised Steel Wire	kg/km	
Manufacture's name		
Country of manufacture		
Trade mark		
Drum or Identification number		

Where necessary, documentation to evaluate whether the equipment offered is in accordance with this specification shall be submitted with the Bid'.

Tenderer's Signature _____

Annexure 1

DECLARATION ON NON-ENGAGEMENT IN CORRUPT OR FRAUDULENT PRACTICES FORM

The Chief Executive
Rural Electrification Fund
6th Floor Megawatt House
44 Samora Machel Ave
P. Bag A250, Avondale
Harare
Zimbabwe

TENDER NUMBER: _____

TENDER DESCRIPTION: _____

the undersigned (*Director of Company*) on behalf of _____ (*Name of Organisation*), do hereby declare that our organization has not been engaged in any corrupt or unethical practices during the subsistence of our organisation.

Name in Full _____

I. D. Number _____

Signature _____

Date _____

Annexure 2

LETTER OF TENDER (TENDER FORM)

NAME OF TENDER: Supply & Delivery of various line materials

Tender Number REF/INTER...../..../2022

TO: The Chief Executive
Rural Electrification Fund (REF)
6th Megawatt House,
44 Samora Machel Avenue,
Harare,
Zimbabwe

We, [*insert name of Tenderer*], herewith enclose a Tender for selection of our firm as Contractor/Supplier for

We have examined the Conditions of Contract, Employer's Requirements, Schedules, the attached. Appendix and Addenda Nos __ of the above-named Works. We have examined, understood and checked these documents and have ascertained that they contain no errors or other defects. We accordingly offer to design, execute and complete the Works and remedy any defects therein, in conformity with this Tender which includes all these documents and the enclosed Proposal, for the lump tender sum of: RTGS _____

We agree to abide by this Tender until _date_/_month_/_year_ [i.e. _____ days from the tender opening date] and it shall remain binding upon us and may be accepted at any time before that date. We acknowledge that the Appendix to Tender forms part of this Letter of Tender.

If this offer is accepted, we will provide the specified Performance Security, commence the Works as soon as is reasonably practicable after the Commencement Date, and complete the Works in accordance with the above-named documents within the Time for Completion. We guarantee that the Works will then conform to the Schedule of Guarantees.

Unless and until a formal Agreement is prepared and executed, this Letter of Tender, together with your written acceptance thereof, shall constitute a binding contract between us. Our Tender is binding upon us and subject to the modifications resulting from pre-award contract negotiations.

We understand that you are not bound to accept the lowest or any tender you may receive.

Signature _____ in the capacity of _____
Duly authorized to sign tenders for and on behalf of _____

Address: _____

Date: _____