

RURAL ELECTRIFICATION FUND

HEAD OFFICE

Megawatt House

44 Samora Machel Avenue, Harare

P. Bag 250A, Harare

Tel: +263 242 791725/29, 798080, 795002, 791860, 791732

Email: rea@rea.co.zw Website: www.rea.co.zw



Magetsi Kumusha / Amagetsi Ekhasya

OUR REF:.....

YOUR REF:.....

WHEN CALLING WITH REFERENCE TO THIS
LETTER PLEASE ASK FOR

23 June 2022

Dear Bidder

TENDER CLARIFICATION/AMENDMENT: REF/INTER/06/05/2022: SUPPLY, DELIVERY AND INSTALLATION OF DIESEL FUEL TANKS AND PUMPS

Reference is made to the above named tender.

In terms of section 41(4) of the Public Procurement and Disposal of Public Assets Act (22:23), the Rural Electrification Fund (REF) reserves the right to amend the bidding document at any time before tender closing. These amendments/clarifications may be used for purposes of tender evaluation.

Please take note that the technical specifications for the diesel pump shall be as follows:

11) DETAILED TECHNICAL SPECIFICATIONS FOR THE DIESEL PUMP

NOTE: Bidders must clearly study and understand all the technical specifications provided for the pump and **MUST** complete the table below without fail.

PARAMETER	REQUIRED SPECIFICATIONS	BIDDER'S TECHNICAL SPECIFICATIONS (Bidders must state their product specifications in this column without fail)
Hydraulics:		
Pumping Unit	Global Pumping Unit – OIML approved and integrated air separation	
Motor	Rugged 1HP motor – 1 Phase, 220V / 3	

Board Members: W. A. Chiwewe (Chairman); C. Chitiyo (Vice Chairperson); F.S. Mbetsa; L. L. Dhlamini; A. Maronge; C. Chiringa; E. Seenza; S. Ncube; T. Kutamahufa; P. Ndemera; F. N. Chikonye; J. V. Mashamba (Chief Executive)

	Phase, 380V	
Meter	Meter with eCalibration feature	
Mechanical:		
Valves	1 Phase, 230V, 1-stage Solenoid Valve for accurate low volumes	
Hydraulics Cabinet Door	Large size, coated, galvanized panel for custom branding; Width: 666mm, Height: 1136mm	
Hose Management	Low Hose orientation with hose hanger on lower panel extends hose life	
Elevation	Low Hose, 1.6 meters	
Dimensions	Product: Width 790 x Depth 540 x Height 1650 Packaging: Width 1070 x Depth 630 x Height 1780	
Electronics:		
Calculator	Electronic Register enabled with ARM processor and proprietary Protocol	
Display	LED-lit superior backlight and contrast 25mm Sale & Volume character height 25mm character height for PPU display	
Keypad	16 Key alphanumeric with self-enabled display	

Communication	GVR 2-wire communication protocol	
Options:		
Panels	Custom color side sheathing and lower door	

Please be advised that the tender closing dates and time for the above tender has been moved to 07 July 2022, Time 1000Hrs. The postponement is meant to give bidders adequate bidding time.

Please take note of the above changes as they shall be used for tender evaluation. The remaining tender terms and conditions remain unchanged.

Yours Sincerely



ENG.J.V MASHAMBA
CHIEF EXECUTIVE OFFICER